



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,745	03/23/2004	Michael E. Nerney	1193.02	2744
21901	7590	04/20/2006	EXAMINER	
SMITH HOPEN, PA 180 PINE AVENUE NORTH OLDSMAR, FL 34677			STIGELL, THEODORE J	
			ART UNIT	PAPER NUMBER
			3763	
DATE MAILED: 04/20/2006				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.		Applicant(s)	
	10/708,745		NERNEY, MICHAEL E.	
	Examiner		Art Unit	
	Theodore J. Stigell		3763	

– The MAILING DATE of this communication appears on the cover sheet with the correspondence address –

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 January 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) 2 and 16-24 is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1 and 3-10 is/are allowed.
- 6) ☒ Claim(s) 11 is/are rejected.
- 7) ☒ Claim(s) 12-15 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 06 January 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

Drawings

The Replacement Drawing Sheet is acknowledged and accepted.

Specification

The amendments to the Specification are acknowledged and accepted.

Claim Objections

The amendments to the Claims are acknowledged and accepted.

Claim Rejections - 35 USC § 112

The amendments to the Claims have overcome the § 112 Rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 11 is rejected under 35 U.S.C. 102(b) as being anticipated by Lee (5,115,816). Lee discloses a forward-mounted plunger control adapter for retrofit attachment to a pre-existing syringe where the pre-existing syringe includes a needle (11), a hub (20), a barrel (12), an elongate plunger (13), the adaptor (10) comprises a slide member (84) adapted to slideably engage a first surface of the barrel, a flange housing (92) adapted to releasably engage a flange (16) formed integrally with the plunger, an elongate connector (90) for interconnecting the slide member to the housing

Art Unit: 3763

so that movement of the slide member elects simultaneous and corresponding movement of the flange housing, a pair of laterally extending tabs (19), a guide member (72) adapted to engage the tabs and being adapted to releasably engage the barrel, the guide member adapted to be grasped between the fingers of the hand of the user and slidably and releasably engaged to the elongate connector, the slide member being adapted with element (85) to be controlled by a digit of the user and being positioned at a leading end of the barrel, whereby the adapter is adapted to be attached to the syringe and whereby the syringe is adapted to be held in a single hand and no change in hand position is needed between an aspiration and an injection procedure. The slide member includes a first part for slideably engaging the barrel and a second part (85) adapted for abutting engagement by a finger. The syringe is supported from below by fingers of the user and the guide member includes a plurality of legs (55).

Allowable Subject Matter

Claims 1,3-10 are allowed.

Claims 12-15 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed 1/6/2006 have been fully considered but they are not persuasive. In response to the Applicant's argument that claim 11 is not anticipated by the Lee reference, the Examiner respectfully disagrees. The Applicant seems to argue that the Lee reference does not teach a slide member having a first, lower surface that

Art Unit: 3763

slideably engages an upper surface of a syringe barrel and a second, upper surface that supports a finger or a thumb. The Examiner agrees with this argument but notes that this limitation is not recited in claim 11.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theodore J. Stigell whose telephone number is 571-272-8759. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Theodore J. Stigell


NICHOLAS D. LUCCHESI
SUPERVISOR/PATENT EXAMINER
TECHNOLOGY CENTER 3700